


The Original

FASTFRAMES INC.

SEW WHERE YOU HAVE NEVER SEWN BEFORE

7 IN 1 X-CHANGE

Don't Settle for anything less than the
Original Fast Frame




2011 WEB CATALOG




Global Trading ApS · Sandvigvej 2 · DK-7400 Herning · Denmark · www.global-trading.info
order@global-trading.info · Fax: +45 97 222 888 · CVR/Vat.no 13 46 05 74

FAST FRAMES INC.





The American FastFrames® has developed a patented, but affordable X-Change frame system made of stainless steel that allows you to sew in places you never thought possible.



X-Change makes it possible to position a text or a design on pockets, sleeves, trousers, bags, etc 100 % straight and precise every time. With FastFrames® systems you can for example frame your garment/article close to the edge with an accuracy of less than 1 millimetre.





With X-Change 6in1, (6 frames, 1 arm) or 7in1, you can now offer your customers new, exclusive and different embroidery solutions. FastFrames® also offers 24 additional X-Change frames that can be purchased separately. FastFrames systems fit most of the following cylinder bed machines from: Barudan, Brother, Happy, Melco, SWF, Tajima, Toyota and ZSK.





Other FastFrame products available for purchase: large area individual frames, Karate / Dog belt frames and endless Name Tape frames.






When using FastFrames® X-Change for an embroidery design, you have to use an adhesive backing. Add the backing under the frame with the sticky side up and place the embroidery item onto the sticky side. This will keep the embroidered item in place until the stitching fastens it onto the backing. Furthermore, the frames are square formed which will help you place the embroidery item in an exactly straight angle.



Now European embroiderers and licensed machine dealers can buy FastFrames® through a European stock handled by the Danish company Global Trading. A delivery in Europe from Global Trading is made by lowcost transportation. Buying FastFrames® through Global Trading, the EC import tax is included and you will avoid paying the expensive import freight costs from the US.



For further information about the products, prices, sizes and weight please visit www.global-trading.info
You can order directly or you can ask your machine supplier.



FASTFRAMES

- 2 Introduction
- 3 IndeX
- 4 6 IN 1 / 7 IN 1 X-change
- 5 Arms for X-change
Frames for X-change
- 6 Add On's for X-change
- 9 Clamp Tool
- 10 Special Frames
Jumbo Frames
- 11 Table and Accessories
- 13 How to use FastFrames

Partnumbers is marked as blue colors, example: PartNo.: 100-020-001

Some of the eXchange frames doesn't fit all armtypes, this is marked with green and red colors example:


CLASS type: All or


CLASS type: Not for A, D, E, I, R, S

CLASS types can be found on the pricelist under MACHINE TYPES

All Frame sizes is messured Width(X) then Height (Y)

All Frames is photographed on a grid with 2" - 50mm lines so it is easier to se the dimentions an size





THE ARM FOR YOUR MACHINE TYPE

- ① ① 2 X 4 MONO HOOP
- ② ② 2.5 X 4 POCKET HOOP
- ③ ③ 3 X 4 POCKET HOOP
- ④ ④ 5 X 4 CHRISTMAS STOCKING HOOP
- ⑤ ⑤ 6" RADIUS HAT HOOP
FOR SIDES AND BACKS OF HATS
- ⑥ ⑥ 7 X 5 ATTACHE CASE HOOP
- ⑦ ⑦ 4.5 x11 SLEEVE HOOP

*example arms showed in picture is 14" - 360mm

All Frame sizes is measured Width(X) then Height (Y)

2.0" MONO The mono is used on woven (non-stretch) fabric. The pocket opening must be a minimum of 5 inches. The bobbin arm needs to fit into the pocket and still have room to travel. Also used on Socks fanny packs, Cd cases, handy for non-hoopable items.

2.5" POCKET The 2.5 is used for many items listed above it may be used on woven or stretch. (woven must have a 5 1/2 in. opening) When sewing matching men and women's garments. The ladies size may have a smaller pocket opening it may require this size and the 3' for the mans pocket.

3.0" POCKET The pocket hoop is used on pockets that have stretch (knit or jersey) The stretch allows room for the bobbin case to fit in the pocket with room for movement. Also good for drill team socks, short sleeves, Cd cases,

5.0" x 4.0" Comp The comp is used on various material types. Such as leather, canvas nylon and velvet. It leaves no hoop burn. Use on bag pockets, flaps, short sleeve shirts and Christmas stockings (7 in. Opening 5 inch name without cutting stocking

7.0" x 5" The wider frame is used on larger bag pockets and flaps. It allows you to do many of the same items as the 5 x 4 it allows a larger logo when a bigger sew field is available.


5.7" x 5.2" Radius this frame is allows you to sew the backs of caps, sides of caps, bucket caps, cuffs of sleeves, collar tips, ribbons etc. The notches cut in the frame provide line up points and the radius fits the curve of the cap.

4.5" X 11" Was designed for embroidery down sleeves and pant legs. It is also used for sewing in-between button holes and across the collar of a button down shirt.




Arms for *X-change*

6 IN 1*



7 IN 1*



*Example arms showed in picture is 14" - 360mm

Frames for *X-change*

All Frame sizes is measured Width(X) then Height (Y)

6 in1 / 7 IN 1

PartNo.: 100-020-001


(X)x(Y) 2"x4" - 61x120mm



6 in1 / 7 IN 1

PartNo.: 100-020-002


(X)x(Y) 2½"x4" - 73x120mm



6 in1 / 7 IN 1

PartNo.: 100-020-003


(X)x(Y) 3"x4" - 86x120mm



7 IN 1

PartNo.: 100-022-019

(X)x(Y) 4½"x11" - 121x291mm



6 in1 / 7 IN 1

PartNo.: 100-020-004

(X)x(Y) 5"x4" - 134x118mm



6 in1 / 7 IN 1

PartNo.: 100-020-005

(X)x(Y) 6" R -152x140mm R



6 in1 / 7 IN 1

PartNo.: 100-020-006

(X)x(Y) 7"x5" - 185x143mm




All Frame sizes is measured Width(X) then Height (Y)

PartNo.: 100-020-007

CLASS type:

All

(X)x(Y) 1½"x4" - 48x120mm




PartNo.: 100-020-030

CLASS type:

All

(X)x(Y) 1½"x4" - 50x107mm




PartNo.: 100-020-018

CLASS type:

All

(X)x(Y) 2"x4" - 61x120mm R




PartNo.: 100-020-031

CLASS type:

All

(X)x(Y) 2"x4" - 62x107mm




PartNo.: 100-020-014

CLASS type:

All

(X)x(Y) 2½"x7" - 73x183mm




PartNo.: 100-020-015

CLASS type:

All

(X)x(Y) 2½"x9" - 73x228mm




PartNo.: 100-022-020

CLASS type:

All

(X)x(Y) 2½"x11" - 73x278mm




PartNo.: 100-020-012

CLASS type:

All

(X)x(Y) 3"x4" - 86x120mm R



Add On's for X-change

All Frame sizes is measured Width(X) then Height (Y)


NEW

PartNo.: 100-020-032

CLASS type:

All

(X)x(Y) 3"x4" - 86x102mm




PartNo.: 100-022-018

CLASS type:

All

(X)x(Y) 3"x11" - 82x291mm



PartNo.: 100-020-008

CLASS type:

All

(X)x(Y) 3½"x6" - 99x170mm




PartNo.: 100-020-009

CLASS type:

All

(X)x(Y) 4"x4" - 112x120mm



PartNo.: 101-020-010

CLASS type:

All

(X)x(Y) 4½"x7" - 121x178mm




PartNo.: 100-020-010

CLASS type:

All

(X)x(Y) 4½"x8" - 121x210mm




PartNo.: 100-022-019

CLASS type:

All

(X)x(Y) 41"x11" - 121x291mm



NEW

PartNo.: 100-020-012

CLASS type:

All

(X)x(Y) 3"x4" - 86x120mm R




All Frame sizes is measured Width(X) then Height (Y)

PartNo.: 100-020-019

CLASS type:

All

(X)x(Y) 6" R - 171x149mm R



PartNo.: 100-020-011

CLASS type:

All

(X)x(Y) 7"x8" - 185x209mm




NEW

PartNo.: 100-022-021

CLASS type:

All

(X)x(Y) 7"x11" - 185x285mm




NEW

PartNo.: 100-020-011W

CLASS type:

All

(X)x(Y) 8"x8" - 209x209mm




PartNo.: 101-020-013

CLASS type:

Not for A, D, E, I, R, S

(X)x(Y) 11"x7" - 293 x 184mm




NEW

PartNo.: 101-022-023

CLASS type:

Not for A, D, E, I, R, S

(X)x(Y) 11"x11" - 293x285mm




NEW

PartNo.: 101-022-024

CLASS type:

Not for A, D, E, I, R, S

(X)x(Y) 12"x12" - 314x305mm



NEW

PartNo.: 98-34220


Clamp 40 - Max 3mm thickness
Incl. 50 clips**NEW**

PartNo.: 98-35220

Clamp 60 - Max 4mm thickness
Incl. 35 clips

How to use Clamp tool


Place garmin on frame and push a clamp onto the garmin and frame to get a better fix between adhesive, frame and garmin.



All Frame sizes is measured Width(X) then Height (Y)


Karate/Dog max 3" - 84mm (X)x(Y)

Find PartNo. for your machine on the pricelist



Name Tape max 1.25" - 32mm (X)x(Y)

Find PartNo. for your machine on the pricelist



Jumbo Frames

Jumbo frames is special frames for specific machin CLASS this is marked with green color

Example:

CLASS type: C


CLASS types can be found on the pricelist under MACHINE TYPES

Find PartNo. for your machine on the pricelist under Special frames

CLASS type:

C

(X)x(Y) 12"x14½" - 300x360mm



CLASS type:

A, H, I, N, P

(X)x(Y) 14"x12" - 350x300mm



CLASS type:

B, N

(X)x(Y) 14½"x12" - 400x300mm



CLASS type:

G, S

(X)x(Y) 16"x12" - 400x300mm



CLASS type:

E

(X)x(Y) 12"x12" - 300x300mm



Happy HCS Voyager Machine Stand
PartNo.: 100-660-001



Brother PR600 Machine Stand
PartNo.: 101-660-001



PR600/Babylock Solid Table Top
PartNo.: 101-640



See next page for more info

As long as stock lasts
PR600/Babylock Travel Case
PartNo.: 101-650





This is great for horse blankets, quilting, towels anything heavy that would need support



You can put it on in less then a minute



How to use FastFrames® X-Change system:



1. Add adhesive backing under the frame
2. Fix the selected Xchange frame in the arm holder
3. Put the embroidery item on the frame (mark the frame for the next item if you like) and find your starting point
4. begin your embroidery
5. remove the embroidery item from the frame and add a new piece of adhesive backing under the backing (just enough to cover the hole)

For continuous embroidery repeat step 3 - 5
Repeat steps 3 - 5 until the adhesive backing doesn't stick to the embroidery item anymore and change the backing.

See how Fastframes is used on youtube
www.youtube.com/watch?v=ndK5GWWKFpY

